





Referenčné prvky a materiály / References of elements and materials				
PRVOK / ELEMENT	TYP / TYPE	POPIS / DESCRIPTION	Foto / Picture	Poznámka / Comment
1. Stavebná časť / Construction part				
Zdvojená podlaha / Raised floor	Kalcium sulfátová doska hr.30, LINDNER - FLOOR and more / Calcium-sulfate plate th. 30, LINDNER - FLOOR and more	Kalcium sulfátová doska hr.30 / Calcium-sulfate plate th. 30		
	Modulyss: First decode, First define			https://www.modulyss.com/en-INT/carpet-tiles/collections/first-decode , https://blog.modulyss.com/en/collections/first-define , https://www.condor-group.eu/en/carpets/products/contract/graphic-marble
Vynil/drevená podlaha / Vynil/wooden floor	VINYL – CAVALIO 055 - silver grey cement 9021, drevená podlaha Prestige Oak 7877048 / VINYL – CAVALIO 055 - silver grey cement 9021, wooden floor Prestige Oak 7877048			https://cavaliofloors.com/ , Warm Grey Cement 3507 Cavalio Flooring (cavaliofloors.com), Prestige Oak 7877048
PVC / PVC	P05 - TARKET RUBI			www.tarkettsee.com
SDK priečka / gypsum partition	RIGIPS - jednoplášťová / RIGIPS - single layer	hrúbka 100mm, 1xRB / th. 100mm, 1xRB		https://www.rigips.sk/files/download/atlas_sucej_vystavby_150.pdf
	RIGIPS - dvojpášťová / RIGIPS - double layer	hrúbka 100mm, 2xRB / th. 100mm, 2xRB		
	ŽB - ŽB / slab - slab			
	zdvojenka - ŽB / Raised floor - slab			
Dvere v SDK priečkach / Door in gypsum partitions	plné dvere, vyfahčená DTD, povrch CPL laminát / Solid door, light particle board (DTD), surface CPL laminate	RAL 9010, oc. zárubňa RAL 9010, kovanie MP Favorit R nerez brúsená / RAL 9010, steel frame RAL 9010, forging MP Favorit R rustless steel		https://www.hse.cz/OLD/08zarubne-index.php
SDK podhľady / Gypsum ceiling	ARMSTRONG Siera OP - kazetový strop, minerálna doska, rozmes 600x600x15 mm, biela / ARMSTRONG Siera OP - cassette ceiling, mineral plate, dimensions 600x600x15 mm, white			https://www.armstrongceilings.com/commercial/en-sk/?v_id=domain_/armstrong.sk
	RIGIPS - plný SDK strop / RIGIPS solid ceiling			https://www.rigips.sk/files/download/atlas_sucej_vystavby_150.pdf
	otvorený strop / open ceiling			konštrukčné prevedenie / construction look
SDK lamelový podhľad / Gypsum lamella ceiling	DTD doska biela / DTD plate white	šírka 36mm, výška 150mm, osová vzdialenosť 250mm, farba biela / width 36mm, height 150mm, axis distance 250mm, white color		 drevodekor/wooden deco
Sklenené priečky / Glass partition	jednosklo / single layer glass	Bezrámová jednosklová priečka LIKO-S MICRA I, šírka skla 10mm, výška 2,7 m, Rw=35 dB / Unframed single layer glass partition LIKO-S MICRA I, th. 10mm, width of glass 10mm, height 2,7 m, Rw= 35 dB		https://www.liko-priecky.sk/sk/priecky-a-deliace-steny

	bezrámové dvojsklo / unframed double layer glass	Bezrámová dvojsklová priečka LIKO-S MICRA II, hrúbka priečky 100mm, šírka skla 10mm, výška 2,7 m, Rw= 43 dB / Unframed double layer glass partition LIKO-S MICRA II, th. 100mm, width of glass 10mm, height 2,7 m, Rw= 43 dB		https://www.liko-priecky.sk/sk/priecky-a-deliace-steny
Dvere v Sklenených priečkach / Door in glass partition	plné / solid			https://www.liko-priecky.sk/sk/dvere-a-prislusenstvo
	presklené jednosklo / single layer glass			https://www.liko-priecky.sk/sk/dvere-a-prislusenstvo
	presklené dvojsklo / double layer glass			https://www.liko-priecky.sk/sk/dvere-a-prislusenstvo
Obklady a dlažby sociálnych zariadení / Cladding and Floor tiles in rest rooms	dlažba - RAKO EXTRA DAR63721, obklad - DARSE720 / floortiles RAKO EXTRA DAR63721, cladding DARSE720	dlažba 600x600, dlažba 300x600; obklad 300x600 / floor 600x600, floor 300x600; cladding 300x600		http://www.orstap.sk/katalogy-322.aspx
Deliace stienky WC kábínok / dividers of WC cabins	Drevená stienka DTD hr.28mm, drevodekór EGGER H3303 ST10 / wooden divider DTD th.28mm, EGGER H3303 ST 10	deliaca stena hr. 30 mm, výška zostavy 2390 mm, povrchová úprava Dub Arlington / divider th. 30mm, height 2390 mm, surface Oak Arlington		
Žalúzie / blinds	hliníková lamela IF 50, lamela 0680 / aluminium lamella IF 50, lamella 0680	Interiérové žalúzie, ovládanie manuálne, šírka 34mm ŠTANDARD V CELEJ BUDOVE / interior blinds, manual regulation, width 34mm, standard of the building		
2. Technické vybavenie priestorov / Technical accessories of the premises				
2.1 ZTI				
Umývadlo / Washbasin	DURAVIT VERO 500x470	individuálne umývadlo s otvorom pre batériu uprostred / individual washbasin with hole for tap in the middle		

WC misa / WC bowl	KOLO NOVA PRO RIMFREE,	WC misa závesná (hlboké splachovanie),wc doska s poklopom, sedátko DURAPLAST KOLO antibakterial /wall hung WC (deep flushing), wc plate with cover, DURAPLAST KOLO antibacterial seat		
záchodový splachovač / flushing	GEBERIT - SIGMA 01	biela / white		
Pisoár / Urinal	LAUFEN CAPRINO PLUS URINAL	pisoár so samočinným splachovaním (so senzorom, vrátane inšalačnej súpravy a sifónu) / Urinal with automatic flushing with sensor (including installation kit and siphon)		
Pisoárová deliaca stienka / Urinal divider	LAUFEN	keramická / ceramic		
Umývadlová batéria / washbasin faucet	GROHE Euroeco – Cosmopolitan E	umývadlová batéria stojanková so senzorom /freestanding water tap with sensor		
2.2 VZT-UK-Chladienie a MaR / Ventilation, heating, cooling, BMS				
Výústne prvky VZT / Ventilation inlets	štrbinová hliníková/slotted aluminum	RAL 9010 Halton, tanierový ventil Systemair, priemer 100, 160 a 200mm		
Radiátor / Radiator	KORADO Radik K - VKL, VKM	RAL biela / RAL white		
Fan coil	YORK - YFCN 640, 740, 830	ŠTANDARD V CELEJ BUDOVE / Standard solution in the entire building		
2.3 Elektroinštalácie / Electroinstalation				
Kancelárske svietidlo / Office light	LED 2 LENA	1200x300		https://sk.led2.eu/user/documents/LED2.pdf
Svietidlo do chodieb a sociálok / Lights in corridors and rest rooms	LED 2 ALFA 17	priemer 170; 145 / diameter 170, 145		https://sk.led2.eu/user/documents/LED2.pdf

Núdzové svietidlá / Emergency lights	SCHRACK Technik: NP1 – NLKSW009ML, NP2 – NLKWW039ML, NB1 – NLDER029ML, NB1 – NLILEF029N	ŠTANDARD V CELEJ BUDOVE / Standard solution in the entire building		
Podlahové krabice / Floorboxes	OBO GES6 DB 7011	Podlahová krabica 6 (12) modulová – 220x272mm; farba šedá / Floorbox 6 (12) module 220x272mm; grey color		
Vypínače a zásuvky / Switches and sockets	LEGRAND ARTEOR	biele ŠTANDARD V CELEJ BUDOVE / white, Standard solution in the entire building		
Ovládač FCU / FCU controler	ovládač univerzálny regulátor SIEMENS RDF 600KN / universal controler SIEMENS RDF 600KN	ŠTANDARD V CELEJ BUDOVE / Standard solution in the entire building		